







| All Databases | PubMed                   | Nucleotide    | Protein  | Genome                              | Structure | OMIM    | PMC  | Journals            | Books |
|---------------|--------------------------|---------------|----------|-------------------------------------|-----------|---------|------|---------------------|-------|
| Search PubMed |                          | for           |          |                                     |           | Go C    | lear |                     |       |
|               | ☑ Limits                 | Preview/I     | ndex His | story Clipt                         | ooard Det | ails    | à    | 132.0               | 96    |
| About Entrez  | Limits: Pu<br>Display At | iblication Da |          | 93 <b>to 1993</b><br>ow 20 <b>S</b> | ort by    | Send to | 1 E  | x <sup>5</sup> wive | :copy |
| Text Version  | All: 1 F                 | Review: 1     | ]        |                                     |           |         | re   | ference             | 2# 7  |
| Entroz DubMod |                          |               |          |                                     |           |         |      |                     |       |

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI (Cubby)

Related Resources
Order Documents
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

☐ 1: Arch Neurol. 1993 Nov;50(11):1164-72.

Related Articles, Links

Molecular genetics of Alzheimer's disease.

Clark RF, Goate AM.

Department of Psychiatry, Washington University School of Medicine, St Louis, Mo.

The part that genetics plays in the origin of Alzheimer's disease (AD) is a complex problem that is only now, in the last few years, beginning to be understood. Progress in the study of the epidemiology of AD, discovery of multiple AD loci, and interpreting how mutations affect and produce the AD phenotype have been the initial keys to unlocking the mysteries of this disease. We now know of the existence of at least three AD loci on chromosomes 14, 19, and 21 and are beginning to understand the role that one of these loci, APP, and its mutations plays in the progression of AD. On future studies using animal modeling and the positional cloning of the other AD loci, a definite model for AD should become evident within the next few years.

**Publication Types:** 

- Review
- Review, Tutorial

PMID: 8215975 [PubMed - indexed for MEDLINE]

| Display Abstract | Show | , 20 🕃 | Sort by | y Sen | 1 |
|------------------|------|--------|---------|-------|---|

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer

Jun 6 2005 07:23:23